Mathematische Zeitschrift

Herausgegeben von **H. Wielandt**, Tübingen

unter Mitwirkung von **T. tom Dieck**, Saarbrücken
E. Heinz, Göttingen
A. Pfluger, Zürich
K. Zeller, Tübingen

Wissenschaftlicher Beirat
B. Eckmann, Zürich
P. Gabriel, Bonn
W. Klingenberg, Bonn
H. Kneser, Tübingen
U. Krengel, Göttingen
W. Magnus, New York
G. Pickert, Gießen
H. Salzmann, Tübingen

Band 125 · 1972

Springer-Verlag · Berlin · Heidelberg · New York

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, even in microform, is transferred to the publisher.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. *Der Verlag läßt diese Beträge den Autorenverbänden zufließen.*

Springer-Verlag / Berlin · Heidelberg · New York
Printer: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany. – © by Springer-Verlag Berlin Heidelberg 1972

Inhalt/Contents

Alling, N. L., Campbell, L. A.: Real Banach Algebras. II 79

Bachelis, G. F., Gilbert, J. E.: Banach Spaces of Compact Multipliers and Their Dual Spaces . 285

Beekmann, W.: Total-Vergleich normaler Matrizen mit diagonal-positiver Inversen 361

Bruen, A., Fisher, J. C.: Arcs and Ovals in Derivable Planes 122

Burmann, H.-W.: Zur hypergeometrischen Differentialgleichung in Banachalgebren 139

Bustoz, J., Wright, D.: On Gronwall Summability 177

Campbell, L. A., s. Alling, N. L. 79

Fisher, J. C., s. Bruen, A. 122

Foster, A. L., Pixley, A. F.: Total Algebras and Weak Independence. II 271

Georgakis, C.: Double Fourier Series with Coefficients $O(nm)^{-1}$ 184

Gilbert, J. E., s. Bachelis, G. F. 285

Gildenhuys, D., Lim, C.-K.: Free Pro-$\mathscr{C}$-Groups 233

Hess, P.: A Remark on a Class of Linear Monotone Operators 104

Hoare, A. H. M., Karrass, A., Solitar, D.: Subgroups of Infinite Index in Fuchsian Groups . 59

Johnson, N. L.: Homomorphisms of Free Planes 255

Jónsson, W.: On the Mathieu Groups M_{22}, M_{23}, M_{24} and the Uniqueness of the Associated Steiner Systems 193

Iversen, B.: On the Exceptional Tangents to a Smooth, Plane Curve 359

Karrass, A., s. Hoare, A. H. M., et al. 59

Kowalski, O.: On Regular Curvature Structures 129

Lim, C.-K., s. Gildenhuys, D. 233

Loos, O.: Kompakte Unterräume symmetrischer Räume 264

Mavron, V. C.: On the Structure of Affine Designs 298

Mavron, V. C.: On the Construction and Characterisation of a Class of Designs 317

Noda, R.: Steiner Systems which Admit Block Transitive Automorphism Groups of Small Rank 113

Nowlin Brown, J. M.: Homologies in Collineation Groups of Finite Projective Planes. II . 338

Pixley, A. F., s. Foster, A. L. 271

Pratt, P.: Representation Theorems for Functions Holomorphic and Meromorphic in the Unit Disk 101

Reich, S.: Fixed Points in Locally Convex Spaces 17

Roesler, F.: Darstellungstheorie von Schur-Algebren 32

Schaefer, H. H.: On the Representation of Banach Lattices by Continuous Numerical Functions 215

Sigmon, K.: Idempotent Topological Groupoids with Non-Empty Center 70
Solitar, D., s. Hoare, A. H. M., et al. 59
Stonehewer, S. E.: Permutable Subgroups of Infinite Groups 1
Warfield, R. B., Jr.: Rings Whose Modules Have Nice Decompositions 187
Wright, D., s. Bustoz, J. 177
Wüst, R.: Holomorphic Operator Families and Stability of Selfadjointness 349
Yang, C. C.: On Deficiencies of Differential Polynomials. II 107

Indexed in Current Contents

Hinweise für die Autoren

Auf Grund langer Erfahrung sehen wir uns verpflichtet, unsere Mitarbeiter dringend darum zu bitten, daß sie folgende Gesichtspunkte vor der Einsendung eines Manuskriptes beachten:

Beim Lesen der Formeln darf auch dem Laien über die Stellung und Deutung der Zeichen und Buchstaben kein Zweifel aufkommen. *Alle Formeln sind möglichst mit der Maschine zu schreiben*, wobei genau darauf zu achten ist, daß Indizes und Exponenten trotz des fehlenden Größenunterschiedes genau als solche zu erkennen sind. Andernfalls müssen diese in geringerer Größe mit der Hand eingetragen werden. Besondere Lettern (griechische, gotische, Skript) sind durch farbige Unterstreichung zu kennzeichnen. Zur Vermeidung von Verwechslungen wird gebeten, *griechische Buchstaben rot, gotische blau und Skripttypen grün zu unterstreichen*. Handgeschriebene Buchstaben sind häufig schwer zu identifizieren und werden in verschiedenen Ländern teilweise verschieden geschrieben. Deshalb wird gebeten, auch gotische und Skriptbuchstaben mit der Maschine als lateinische Buchstaben zu schreiben und allein durch die farbige Unterstreichung zu kennzeichnen. Sofern dennoch handgeschriebene Buchstaben vorkommen, unterscheide man das große und kleine Alphabet: *große Buchstaben sollten zweimal, kleine einmal unterstrichen werden*. Das gilt auch für handgeschriebene lateinische Buchstaben, insbesondere für: c, C; k, K; o, O; s, S; u, U; v, V; w, W; x, X und z, Z. Besonders sorgfältig beachte man die Schreibweise bei handschriftlichen Buchstaben, wenn gleichzeitig e und l, oder u und n, oder n und r, oder o und 0 als mathematische Bezeichnungen auftreten. Auch gleichzeitig auftretende v und ν sowie ε und $\in$, x und $\times$ geben zu Verwechslungen Anlaß. Man vermeide bei mathematischen Typen Unterstreichung mit Tinte oder Schreibmaschine, eine solche müßte beim Satz zwangsläufig als zum mathematischen Sinn gehörig mitgesetzt werden.

Besondere Schwierigkeiten entstehen dadurch, daß Schreibmaschinen im allgemeinen keine Unterschiede zwischen 0 (Null) und O (Buchstabe), sowie häufig auch zwischen 1 (Eins) und l (Buchstabe) kennen. *Hier sind unterscheidende Kennzeichnungen unbedingt erforderlich*. Die arabische Ziffer 1 schreibe man deutlich als 1 und nicht einfach als senkrechten Strich. Das ist besonders verhängnisvoll, wenn die 1 als oberer Index auftritt. In englischsprachigen Manuskripten schließe man, wenn der kleine lateinische Buchstabe a als mathematische Bezeichnung vorkommt, die Verwechslung mit dem unbestimmten Artikel aus.

Kursiv zu setzende Wörter oder Sätze müssen besonders gekennzeichnet werden, am besten durch Unterstreichen mit Bleistift. Insbesondere wird gebeten, den Text der Theoreme, Hilfssätze, Korollare für Kursivsatz vorzusehen.

Sämtliche Buchstaben in Formeln und Einzelbuchstaben im Text werden automatisch kursiv gesetzt und sind deshalb nicht besonders zu unterstreichen. Dagegen müssen in Formeln auftretende Abkürzungen wie Ord, Op, Re, Im, grad, div, dim, codim, rang, id, lim, bound, sup, die in Antiqua gesetzt werden sollen, besonders gekennzeichnet werden (möglichst gelb unterstreichen, soweit es sich nicht um die allgemein bekannten wie lim oder die trigonometrischen Funktionen handelt).

Schemata bzw. Figuren werden getrennt vom Text auf besonderen Blättern erbeten. Es genügt die Ablieferung unmißverständlicher, klar leserlicher Skizzen, die vom Verlag umgezeichnet werden.

Fußnoten, die nicht zum Beitragskopf gehören, sind durchzunumerieren. Sie sollen am Fuß der einzelnen Manuskript-Blätter (nicht geschlossen am Ende der Arbeit) stehen.

Der Kolumnentitel (Seitenüberschrift) darf 67 Buchstaben einschließlich Wortzwischenräumen nicht überschreiten. Bei umfangreicheren Beitragstiteln wird der Autor gebeten, eine entsprechende Kurzfassung auf der ersten Manuskriptseite anzugeben.

Literaturzitate sind als geschlossenes Verzeichnis am Ende der Arbeit zu bringen. Bei Zeitschriften-Artikeln sind folgende Angaben unerläßlich: Initialen und Namen sämtlicher Autoren, vollständiger Titel der Arbeit, Zeitschriftentitel, Band-, Seiten- (stets auch End-Seitenzahlen) und Jahreszahl [z.B. GRAUERT, H., REMMERT, R.: Bilder und Urbilder analytischer Garben. Ann. Math. **68**, 393–443 (1958)].

Bücher werden mit Autor(en), vollem Titel, Auflage, Ort, Verlag und Jahr zitiert (z.B. WAERDEN, B. L. VAN DER: Mathematische Statistik. 2. Aufl. Berlin-Heidelberg-New York: Springer 1965).

Die Manuskripte müssen in *völlig druckfertigem* Zustand eingereicht werden. Sie werden maschinengeschrieben mit doppeltem Zeilenabstand und breitem Rand auf einseitig beschriebenen Blättern erbeten.

Es wird erwartet, daß die Autoren eine vollständige Kopie ihrer Arbeit bei sich behalten.

Jedem Manuskript sind auf gesondertem Blatt „Anweisungen für den Satz" beizugeben, auf dem die benutzten Kennzeichnungen sowie verwendete besondere Symbole erklärt werden. Um Beilegung eines Autorreferats für das Zentralblatt für Mathematik wird gebeten (mit Stichwörtern zur Klassifizierung).

In den Fahnenabzügen sollen *nur Satzfehler verbessert*, jedoch keine inhaltlichen oder stilistischen Änderungen vorgenommen werden. Nachträgliche (vom Manuskript abweichende) Korrekturen müssen den Autoren in Rechnung gestellt werden. In den Bogenabzügen können keinerlei Korrekturen mehr vorgenommen werden; es soll lediglich die richtige Durchführung der in den Fahnen eingetragenen Korrekturen kontrolliert werden.

Bei Einsendung eines Manuskriptes ist die Adresse des Autors genau anzugeben. Wechselt der Autor bis zum Erscheinen seiner Arbeit seine Anschrift, so bitten wir in seinem eigenen Interesse dringend um sofortige Benachrichtigung.

Redaktion und Verlag

Directions for Authors

Experience entitles us to request authors to kindly observe the following points when preparing their manuscript.

Formulae should be written so that no uncertainty can arise as to the meaning and position of signs and characters, even if the reader is a layman. Formulae should be typewritten and special care taken that indices and exponents can be recognized as such even if they show no difference in size; otherwise they are to be written in a smaller size by hand. Special type (Greek, Gothic, Script) must be indicated by underlining in colour. In order to avoid confusion, the underlining of Greek characters in red, Gothic in blue, and Script in green is recommended. Characters written by hand are apt to be formed differently in different countries and are frequently hard to identify. For this reason it is advisable to employ Roman characters also for Gothic and Script and to distinguish them simply by underlining in colour. If however, hand written characters have been used, small and capital letters should be clearly distinguished by underlining capital letters twice and small letters once. This also applies to Roman characters written by hand such as c, C; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z. Special care should be taken to show the difference between e and l or u and n or n and r or o and 0, wherever they appear simultaneously as mathematical symbols written by hand. The character v and ν as well as ε and $\in$, x and $\times$ are also liable to cause confusion when they appear together. Underlining of formulae and mathematical signs in ink or by means of a typewriter should be avoided as this would lead to inclusion of the underlining in the composition as part of the mathematical symbol.

The fact that typewriters usually show no difference between the figure 0 (zero) and the letter O, nor, frequently between 1 (one) and the letter l, leads to considerable confusion. Here it is absolutely essential that each letter and each numeral be individually distinguished. The numeral 1 should be written clearly as such (i.e. with a preceding hook) and not merely with a downward stroke. The latter is particularly disastrous where 1 appears as a superscript. In manuscripts written in English, in which the small (Roman) letter a is employed as a mathematical symbol care must be taken to avoid any confusion with the indefinite article.

Italics (words or sentences) should be marked by pencil underlining. Special attention should be given to the marking of the text of "Theorems", "Lemmata", and "Corollaries" intended for italics.

All letters contained in formulae as well as single letters in the text are automatically composed in italics and therefore require no underlining. On the other hand abbreviations in Roman type (the type normally used for the text) that appear in formulae (except in the case of generally familiar abbreviations such as of the trigonometrical functions) must be specially marked (by underlining in yellow, if possible). Abbreviations to be marked: e.g. Ord, Op, Re, Im, grad, div, dim, codim, rang, id, lim, bound, sup.

It is requested that all diagrams and figures be placed on separate sheets and not adjoined to the text. Clearly discernible sketches suffice; these will then be re-drawn by the publishers.

Footnotes which do not belong to the head of the article should be numbered consecutively. They should be placed at the end of each page (not at the end of the article).

The author is requested to state the running head (condensed title) which should not exceed 67 letters including spaces, on the first page of the manuscript.

Bibliographical references should be listed at the end of the manuscript. The following information should be provided for journal articles: initials and names of all authors, full title of the paper, name of the journal, volume, numbers of the first and last pages and year of publication [e.g. GRAUERT, H., REMMERT, R.: Bilder und Urbilder analytischer Garben. Ann. Math. **68**, 393–443 (1958)].

References to books should include name(s) of the author(s), full title, edition, place of publication, publishers and year of publication [e.g. WAERDEN, B.L. VAN DER: Mathematische Statistik, 2. Aufl. Berlin-Heidelberg-New York: Springer 1965].

The papers must be in their final form, typed on one side of each sheet only, with double space and a broad margin.

Authors are supposed to retain a complete copy of their article.

Each manuscript should include "Instructions for the compositor" stated on a separate sheet and explaining markings and special types used. A summary for Zentralblatt für Mathematik (including keywords for classification) should be attached.

Alterations on the galley proofs should be made only for factual errors. Deficiencies of style or contents must not be corrected. (Expenses accruing from such additional corrections will be charged to the authors.) On the page proof no further corrections may be made. Page proof is shown only to insure that the corrections indicated on galley proof have been properly executed.

Manuscripts must be accompanied by the full address of the author. Should the author change his address before the manuscript appears in print, he is kindly requested in his own interest to notify us immediately.

Editors and Publishers

NEW BOOKS MATHEMATICS

Applied Mathematical Sciences

Vol. 4: **Percus, J.: Combinatorial Methods**
58 fig. IX, 194 pages. 1971
DM 24,–; US $ 7.50

Vol. 5: **Mises, R. von, K. O. Friedrichs: Fluid Dynamics**
216 fig. IX, 353 pages. 1971
DM 24,–; US $ 7.50

Vol. 6: **Freiberger, W., U. Grenander: A Course in Computational Probability and Statistics.** 35 fig. XII, 155 pages
1971. DM 24,–; US $ 7.50

Distribution rights for U. K., Commonwealth, and the Traditional British Market (excluding Canada): Allen & Unwin Ltd., London

Ergebnisse der Mathematik

Band 65: **Browder, W.: Surgery on Simply-Connected Manifolds**
Approx. 2 fig. Approx. 140 pages
1972. DM 42,–; US $ 13.10

Graduate Texts in Mathematics

Vol. 5: **Mac Lane, S.: Categories** For the Working Mathematician
IX, 262 pages. 1972
DM 31,50; US $ 9.80

Die Grundlehren der mathematischen Wissenschaften

Band 65: **Fejes Tóth, L.: Lagerungen in der Ebene auf der Kugel und im Raum**
In German. 138 fig. XII, 238 pages
1972. DM 66,–; US $ 20.60

Band 181: **Lions, J. L., E. Magenes: Non Homogeneous Boundary Value Problems and Applications I**
Translated from the French by K. Kenneth. XVI, 357 pages
1972. DM 78,–; US $ 24.30

Band 182: **Lions, J. L., E. Magenes: Non-Homogeneous Boundary Value Problems and Applications II**
Translated from the French by P. Kenneth
XI, 242 pages
1972. DM 58,–; US $ 18.10

Band 185: **Rubinowicz, A.: Sommerfeldsche Polynommethode**
In German. Approx. 300 pages
1972. DM 56,–; US $ 17.50

Band 194: **Iguse, J.: Theta Functions.** X, 232 pages
1972. DM 64,–; US $ 19.90

Heidelberger Taschenbücher

Band 103: **Diederich, K., R. Remmert: Funktionentheorie I**
In German. 9 fig. XIII, 246 pages
1972. DM 14,80; US $ 4.60

Lecture Notes in Mathematics

Vol. 230: **Waelbroeck, L.: Topological Vector Spaces and Algebras.** VII, 158 pages
1971. DM 16,–; US $ 5.00

Vol. 231: **Reiter, H.: L^1 – Algebras and Segal Algebras**
XI, 113 pages. 1971
DM 16,–; US $ 5.00

Vol. 232: **Ganelius, T. H.: Tauberian Remainder Theorems**
VI, 75 pages. 1971
DM 16,–; US $ 5.00

Vol. 233: **Tsokos, C. P., W. J. Padgett: Random Integral Equations with Applications to Stochastic Systems**
VII, 174 pages. 1971
DM 18,–; US $ 5.60

Vol. 234: **Andreotti, A., W. Stoll: Analytic and Algebraic Dependence of Meromorphic Functions.** III, 390 pages
1971. DM 26,–; US $ 8.10

Vol. 235: **Global Differentiable Dynamics**
Proceedings of the Conference, held at Case Western Reserve University, Cleveland, Ohio, June 2-6, 1969
Ed. by O. Hájek, A. J. Lohwater, R. McCann
17 fig. X, 140 pages. 1971
DM 16,–; US $ 5.00

Vol. 236: **Barr, M., P. A. Grillet, D. H. van Osdol: Exact Categories and Categories of Sheaves**
VII, 239 pages. 1971
DM 20,–; US $ 6.30

Vol. 237: **Stenström, B.: Rings and Modules of Quotients**
VII, 136 pages. 1971
DM 16,–; US $ 5.00

Vol. 238: **Der kanonische Modul eines Cohen-Macaulay-Rings**
In German. Ed. by J. Herzog, E. Kunz. VI, 103 pages. 1971
DM 16,–; US $ 5.00

Vol. 239: **Illusie, L.: Complexe Cotangent et Deformations I**
In French. XV, 355 pages. 1971
DM 26,–; US $ 8.10

Vol. 240: **Kerber, A.: Representations of Permutation Groups**
Part 1: VII, 192 pages. 1971
DM 18,–; US $ 5.60

■ Please ask for prospectus material

Springer-Verlag
Berlin
Heidelberg
New York
München · London · Paris
Tokyo · Sydney

1/72

Mathematische Zeitschrift

Band 125 · (Schluß-)Heft 4 · 1972

Inhalt

Bachelis, G. F., Gilbert, J. E.: Banach Spaces of Compact Multipliers and Their Dual Spaces 285

Mavron, V. C.: On the Structure of Affine Designs 298

Mavron, V. C.: On the Construction and Characterisation of a Class of Designs 317

Nowlin Brown, J. M.: Homologies in Collineation Groups of Finite Projective Planes. II 338

Wüst, R.: Holomorphic Operator Families and Stability of Selfadjointness 349

Iversen, B.: On the Exceptional Tangents to a Smooth, Plane Curve 359

Beekmann, W.: Total-Vergleich normaler Matrizen mit diagonal-positiver Inversen 361

Indexed in Current Contents

Responsible for advertisements: Edgar Seidler, D-1000 Berlin 15, Kurfürstendamm 237
Telephone: (03 11) 8 83 37 55, Telex: 01 82 811
Springer-Verlag Berlin · Heidelberg · New York
Printers: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany – © by Springer-Verlag Berlin · Heidelberg 1972